Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 8	0	aru with ("all received" or all-received)	USPAT	OR	ON	2005/11/02 11:55
S12 9	28	aru with field	USPAT	OR	ON	2005/11/02 11:47
S13 0	1	aru near2 field	USPAT	OR	ON	2005/11/02 11:48
S13 1	1	aru near2 field	US-PGPUB	OR	ON	2005/11/02 11:48
S13 2	0	("2003/0061389").URPN.	USPAT	OR	ON	2005/11/02 11:52
S13 3	0	aru with ("all received" or all-received)	US-PGPUB	OR	ON	2005/11/02 11:54
S13 4	0	aru and ("all received" or all-received)	USPAT	OR	ON	2005/11/02 11:54
S13 5	273	aru all	US-PGPUB	OR	ON	2005/11/02 11:54
S13 6	0	aru and all	US-PGPUB	OR	ON	2005/11/02 11:54
S13 7	97	aru and receiv$4	US-PGPUB	OR	ON	2005/11/02 11:54
S13 8	23	aru with receiv$4	US-PGPUB	OR	ON	2005/11/02 11:54
S13 9	120	aru with (sequenc$4 or number)	USPAT	OR	ON	2005/11/02 11:56
S14 0	0	aru with (sequenc$4 adj number)	USPAT	OR	ON	2005/11/02 11:56
S14 1	15	aru with (sequenc$4 near2 number)	USPAT	OR	ON	2005/11/02 11:58
S14 4	72	aru with (automat$4 adj response)	USPAT	OR	ON	2005/11/02 11:58
S14 5	0	S141 not S144	USPAT	OR	ON	2005/11/02 11:57
S14 6	19	aru same token	USPAT	OR	ON	2005/11/02 11:59
S14 7	7	S146 not S144	USPAT	OR	ON	2005/11/02 11:58
S14 8	21	aru with (automat$4 adj response)	US-PGPUB	OR	ON	2005/11/02 11:58
S14 9	6	aru same token	US-PGPUB	OR	ON	2005/11/02 11:59
S15 0	4	S149 not S148	US-PGPUB	OR	ON	2005/11/02 11:59

Web   Images   Groups   News   Froogle   Local^{New!}   **more »**

Google | aru token | Search | Advanced Search
                                                                      Preferences

Web   Results **1 - 20** of about **14,400** for aru token. (0.08 seconds)

[PS] Yair Amir & Jonathan Stanton 1Fall 2000/Week 5 Distributed ...
File Format: Adobe PostScript - View as Text
The Ring Ordering Scheme (cont) How to update the **token aru**? - If **token.aru** =
token.seq and have all the messages then should higher **aru** together with the ...
www.cs.jhu.edu/~yairamir/cs437/week5.ps - Similar pages

   [PS] Fast Message Ordering and Membership Using a Logical Token-Passing ...
   File Format: Adobe PostScript - View as Text
   Whether broadcasting a message or not, a processor compares the **aru** field of the
   token with my **aru** and, if my **aru** is smaller, replaces **aru** with my **aru**. ...
   www.cs.jhu.edu/~yairamir/dcs-93.ps - Similar pages
   [More results from www.cs.jhu.edu]

[PS] Implementing Totems' total ordering protocol in JavaGroups ...
File Format: Adobe PostScript - View as Text
ffl aruld: address of the member that last set the value of **aru** less than seq.
ffl type: regular or recovery **token** ffl broadcastCount: indicates number of ...
www.jgroups.org/javagroupsnew/ docs/papers/totaltoken.ps.gz - Similar pages

[Openais] new totemsrp 8
Jan 21 13:05:07 [NOTICE] [GMI] Sending initial ORF **token token** retrans flag is
0 my set retrans flag1 retrans queue empty 1 count 0 install seq 0 **aru** 0 ...
lists.osdl.org/pipermail/ openais/2005-January/000801.html - 21k - Cached - Similar pages

   [Openais] new totemsrp 8
   ... state. **token** retrans flag is 1 my set retrans flag0 retrans queue empty 1
   count 3 install seq 0 **aru** 0 high seq received 0 retrans flag count 3 **token aru** ...
   lists.osdl.org/pipermail/ openais/2005-January/000802.html - 18k - Cached - Similar pages
   [More results from lists.osdl.org]

[PDF] Group Communication Basics
File Format: PDF/Adobe Acrobat - View as HTML
Token contains **aru** field:. . Indicates low-water-mark. . Indicates sequence
number s, such that each process in view has ...
www.cs.mcgill.ca/~kemme/cs764/lectures/764-gc.pdf - Similar pages

[PDF] Computer Communications and Networks, 1997. Proceedings., Sixth ...
File Format: PDF/Adobe Acrobat
quence numbers less than that in the **aru** field of the **token**,. it reduces the **aru**
accordingly. The processor that most. recently lowered the **aru** raises it ...
doi.ieeecomputersociety.org/10.1109/ICCCN.1997.623289 - Similar pages

   [PDF] A Reliable Ordered1 Delivery Protocol for Interconnected Local ...
   File Format: PDF/Adobe Acrobat
   field, **aru**, of the **token** allows a processor to determine. whether all processors
   on the ring have received all. messages with sequence numbers less than or ...
   doi.ieeecomputersociety.org/10.1109/ICNP.1995.524853 - Similar pages

Crikey Website - Funding Indigenous rugby union stars
But such **token** gestures beg the need to ask the serious question: Why should a
rich organisation such as the **ARU**, who won't spend anything but a **token** ...
www.crikey.com.au/articles/2004/09/03-0005.html - 17k - Cached - Similar pages

[PS] The SecureRing Protocols for Securing Group Communication \Lambda ...
File Format: Adobe PostScript - View as Text
2 in the **aru** field ofthe **token** that it multicasts. ... p also verifies that the

aru field and the rtr listfield in the **token** sent by ...
homepage.westmont.edu/kimkihls/nioss98.ps - Similar pages

[PDF] Communication
File Format: PDF/Adobe Acrobat
The all-received-upto field, or **aru**, of the **token**. enables a processor to determine,
after a full **token**. rotation, a sequence number so that all processors ...
portal.acm.org/ft_gateway.cfm?id=227226&type=pdf - Similar pages

> [PDF] Latency analysis of the totem single-ring protocol - Networking ...
> File Format: PDF/Adobe Acrobat
> numbers up to that contained in the **aru** field of the **token**, it. reduces the **aru**
> accordingly ... **aru** in step with seq. If the **token** makes a complete rotation ...
> portal.acm.org/ft_gateway.cfm?id=504638&type=pdf - Similar pages

[PDF] VICTORIA UNIVERSITY OF WELLINGTON Te Whare Wananga o te Upoko o te ...
File Format: PDF/Adobe Acrobat - View as HTML
that can be partitioned into two or more subsequences of **tokens ARU** ... **ARU** has
a missing **token** ("C" is missing) and the third **ARU** has a mismatching ...
www.mcs.vuw.ac.nz/comp/Publications/ archive/CS-TR-04/CS-TR-04-9.pdf - Similar pages

> [PS] Approximately Repetitive Structure Detection for Wrapper Induction ...
> File Format: Adobe PostScript - View as Text
> Figure 3 shows a bigger example using the **token** string ". XYABCEDABDEAPCDETXYET",
> which contains a region with three **ARU's**, and some ...
> www.mcs.vuw.ac.nz/~xgao/publications/pricai04.ps - Similar pages

[PDF] 1 Category: Functional/Conversation Analysis Title: A claim-of ...
File Format: PDF/Adobe Acrobat - View as HTML
minimum acknowledgment **tokens** in line 3. Then, in line 4, she initiates a repair
... B: e- **aru** n ja nai no? °nanka°. 'e-' 'I guess it does. um'. 6. Turn4 ...
imp.lss.wisc edu/jk15conference/Shimotani.pdf - Similar pages

[PDF] The The SecureRing SecureRing Group Group Communication ...
File Format: PDF/Adobe Acrobat - View as HTML
message digests, **token** is not proper. • The **aru** value should be ... predetermined
number of **tokens** with. same **aru** field or rtr_list is added to ...
homes.cerias.purdue.edu/~crisn/ courses/cs590T/cs590T_lect7_sr.pdf - Similar pages

Spread Changelog
Fix hanging bug where **token** rotates, but **ARU** is stuck. Split the growing changelog
at the beginning of Readme.txt into a separate file. ...
www.spread.org/changelog.html - 33k - Cached - Similar pages

[PDF] The SecureRing Group Communication System
File Format: PDF/Adobe Acrobat
The **token** also contains the **aru** (all received up to) field, which is a mes- ...
continuity in the fields my **aru**, my acu, my **token aru**, and my **token** acu. ...
dx.doi.org/10 1145/503339.503341 - Similar pages

Kota Kinabalu: Shangri-La Tanjung **Aru** Resort - Traveler Reviews ...
Shangri-La Tanjung **Aru** Resort, Kota Kinabalu: 5 Star facilities.....but not 5
... So much so, we left gifts and money in the room when we left as a **token** of ...
www.tripadvisor.com/ ShowUserReviews-g298307-d302155-r3924972-Shangri_La_Tanjung_Aru_Resort-Kota_Kinabalu_... -
91k - Cached - Similar pages

> Kota Kinabalu: Shangri-La Tanjung **Aru** Resort - Traveler Reviews ...
> Shangri-La Tanjung **Aru** Resort, Kota Kinabalu: Lots to do KK and not enough ...
> So much so, we left gifts and money in the room when we left as a **token** of ...
> www.tripadvisor.com/ ShowUserReviews-g298307-d302155-r3985943-Shangri_La_Tanjung_Aru_Resort-
> Kota_Kinabalu_... - 91k - Cached - Similar pages
> [More results from www.tripadvisor.com]

Try searching for **aru token on Google Book Search**

Web   Images   Groups   News   Froogle   Local^{New!}   **more »**

Google

"all received up to"   [Search]   Advanced Search
Preferences

Web

Results **1 - 20** of about **84** for **"all received up to"**. (0.13 seconds)

[PS] Implementing Totems' total ordering protocol in JavaGroups ...
File Format: Adobe PostScript - View as Text
ffl aru: **all received up to** represents a sequence number of a message m and
denotes that. all members have received all message less then or equal to ...
www.jgroups.org/javagroupsnew/ docs/papers/totaltoken.ps.gz - Similar pages

RMP: Fault-Tolerant Group Communication
Before a token site multicasts message m, the site computes a safe parameter and
assigns it m.k, the "**all-received-up-to**" message sequence number. ...
doi.ieeecomputersociety.org/10.1109/40.491463 - Similar pages

[PDF] Object-Oriented Design of Adaptive Multicast Communications
File Format: PDF/Adobe Acrobat
notified. It can be seen that the atomic parameter reflects the. orders
of "**all-received-up-to**" messages, indicating that ...
doi.ieeecomputersociety.org/10.1109/ISPAN.1999.778916 - Similar pages
[More results from doi.ieeecomputersociety.org]

[PS] Group Communication as an Infrastructure for Distributed System ...
File Format: Adobe PostScript - View as Text
ARU stands for "**all-received-up-to**". Request from a client The server which
receives an update request from a client, forwards it to the primary server. ...
www.cs.huji.ac.il/~dolev/pubs/sdne96.ps - Similar pages

[PS] Fast Message Ordering and Membership Using a Logical Token-Passing ...
File Format: Adobe PostScript - View as Text
ffl aru: A sequence number (**all-received-up-to**) such. that all processors on the
ring have received all messages up to (and including) the message with this ...
www.cs.jhu.edu/~yairamir/dcs-93.ps - Similar pages

[PS] The Totem Single-Ring Ordering and Membership Protocol Y. AMIR, LE ...
File Format: Adobe PostScript - View as Text
ffl aru: A sequence number (**all-received-up-to**) used to determine if all processors
on the. ring have received all messages with sequence numbers less than ...
www.cs.jhu.edu/~yairamir/docs.ps - Similar pages
[More results from www.cs.jhu.edu]

[PPT] Network Layer 1
File Format: Microsoft Powerpoint 97 - View as HTML
... send the first byte, then hang on to the next bytes until the first is ACK'd,
then send **all received up to** that point, and so on. ...
cs.clarku.edu/~jbreecher/public/ 2002_networks/lectures/Chapter06-Transport.ppt - Similar pages

Three-Year Multicenter Surveillance of Pneumococcal Meningitis in ...
Eight children were treated with meropenem (enrolled in a study protocol) for 10
days; they **all received up to** 24 hours of therapy with a third-generation ...
pediatrics.aappublications.org/ cgi/content/full/102/5/1087 - Similar pages

AU - Giaquinto C; Del Mistro A; De Rossi A; Bertorelle R; Giacomet ...
... Twelve patients had primary locally advanced disease, 13 patients had a
locoregional recurrence, and **all received up to** three BMC cycles. ...
www.acor.org/cnet/706225.export - 13k - Supplemental Result - Cached - Similar pages

[PS] ProductName: GNU Ghostscript]%% The SecureRing Group ...
File Format: Adobe PostScript - View as Text
The token also contains the aru (**all received up to**) field, which is a message

identifier used to indicate that the processor multicasting the token has ...
homepage.westmont.edu/kimkihls/tissec01.ps - Similar pages

> [PS] The SecureRing Protocols for Securing Group Communication \Lambda ...
> File Format: Adobe PostScript - View as Text
> aru (**all received up to**)field, which is a message identifier used to indicate
> that the. processor multicasting the token has received each messagewith ...
> homepage.westmont.edu/kimkihls/hicss98.ps - Similar pages
> [More results from homepage.westmont.edu]

Petal School District -- Petal, MS
... Bob Dowdy, WL Smith Elementary School, Wendy Hogue, Petal Middle School, and Leisha
Parker, Petal High School, **all received up to** $500 to add a new program to ...
petalschools.com/index.php?start_ from=200&archive=&subaction=&id=& - 12k - Supplemental Result -
Cached - Similar pages

[Openais] Re: sq list question
What it does is > disallow new transmissions (and hence incrementation of the
seqid) when > its group arut (**all received up to**) is too far below the ...
lists.osdl.org/pipermail/ openais/2004-August/000200.html - 20k - Cached - Similar pages

[PDF] The SecureRing Group Communication System
File Format: PDF/Adobe Acrobat
The token also contains the aru (**all received up to**) field, which is a mes-.
sage identifier used to indicate that the processor multicasting the token has ...
dx.doi.org/10.1145/503339.503341 - Similar pages

> [PDF] The Totem single-ring ordering and membership protocol
> File Format: PDF/Adobe Acrobat
> (**all-received-up-to**). used to determine. if all proces-. sors on the ring. have.
> received. all messages. with. sequence. numbers ...
> dx.doi.org/10.1145/210223.210224 - Similar pages

[PDF] INSPECTION REPORT
File Format: PDF/Adobe Acrobat - View as HTML
The headteacher and staff have **all received up-to**-date training in child protection.
measures and enjoy good links with the support agencies. ...
www.ofsted.gov.uk/reports/109/109453.pdf - Similar pages

[PDF] Results of Meditech Research Limited's Annual General Meeting
File Format: PDF/Adobe Acrobat - View as HTML
... Page 16. HyFIVE TM Phase I Clinical Trial 13 patients **All received up to** 3 cycles
of chemotherapy No adverse toxicity Day 0 of therapy We can safely use HyFIVE ...
mrl.com.au/pdf/results_mrl_agm.pdf - Supplemental Result - Similar pages

[PDF] REPORT ON WATERWAY RESTORATION PRIORITIES
File Format: PDF/Adobe Acrobat - View as HTML
All received up to early June. have been included in the analysis. Response.
3.20 The response was excellent. More than 80 questionnaires were returned, ...
www.iwaac.org/downloads/reports/ iwaac_restoration_priorities1998.pdf - Similar pages

Soroptimist International of the Americas, Northwestern Region ...
... restaurants. The restaurants **all received up to** $200 for raw materials and
booths were set up for the individual restaurants. Tickets ...
www.soroptimistnw.com/Admin/ CF_Files/PFRSearchClubView.cfm?PFR_rec_No=776 - 13k - Supplemental Result -
Cached - Similar pages

[PDF] 1K/2K/4K 5.0V CMOS Serial EEPROM
File Format: PDF/Adobe Acrobat
... The internal, completely self-timed PROGRAM cycle starts after the STOP condition
has been generated by the master and **all received (up to** two) data bytes will ...
www.romservice.ru/datashee/85c72-82-92.pdf - Supplemental Result - Similar pages

Try searching for **"all received up to"** on Google Book Search